

New Jersey Division of AIDS Prevention and Control
Persons Living with HIV/AIDS as of June 30, 2002
Bergen County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	311	26	0	0	311	26
AIDS-CD4 Only	405	34	0	0	405	34
HIV Only	479	40	8	100	487	40
-----	-----	---	-----	---	-----	---
Total	1195	100	8	100	1203	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
2. Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	#	#	#	#	650	54
5-12	8	1	Black, Not Hispanic	#	#	#	#	326	27
13-19	9	1	Hispanic	#	#	#	#	190	16
20-29	57	5	Other/Unknown	37	3	0	0	37	3
30-39	350	29	-----	-----	---	-----	---	-----	---
40-49	517	43	Total	1195	100	8	100	1203	100
50+	262	22							
Unk.	0	0							
-----	-----	---							
Total	1203	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	332	40	0	0	332	28
Injection drug user (IDU)	193	23	100	28	293	25
MSM/IDU	35	4	0	0	35	3
Heterosexual contact	69	8	146	40	215	18
Risk not reported/other***	193	23	115	32	308	26
-----	-----	---	-----	---	-----	---
Total	822	100	361	100	1183	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	5	63	11	92	16	80
Risk not reported/other***	#	38	#	8	#	20
-----	-----	---	-----	---	-----	---
Total	8	100	12	100	20	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2002.

** 12 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
AIDS Cases Reported as of June 30, 2002
Bergen County Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	654 (34)	524 (81)	9 (41)	9 (100)	663 (34)	533 (81)
Other OI w/o PCP	616 (32)	451 (73)	13 (59)	6 (46)	629 (33)	457 (73)
KS Alone	54 (3)	45 (83)	0 (0)	0 (.)	54 (3)	45 (83)
No Disease Listed	584 (31)	179 (31)	0 (0)	0 (.)	584 (30)	179 (31)
Total	1908 (100)	1199 (63)	22 (100)	15 (68)	1930 (100)	1214 (63)

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	11	1	White, Not Hispanic	1211	63	10	45	1221	63
5-12	11	1	Black, Not Hispanic	450	24	8	36	458	24
13-19	9	0	Hispanic	#	#	#	#	228	12
20-29	259	13	Other/Unknown	#	#	#	#	23	1
30-39	854	44							
40-49	540	28	Total	1908	100	22	100	1930	100
Over 49	246	13							
Unknown	0	0							
Total	1930	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	651	44	0	0	651	34
Injection drug user (IDU)	435	30	161	37	596	31
MSM/IDU	58	4	0	0	58	3
Heterosexual contact	85	6	171	40	256	13
Risk not reported/other***	244	17	100	23	344	18
Total	1473	100	432	100	1905	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	6	50	12	92	18	72
Risk not reported/other***	6	50	#	8	7	28
Total	12	100	13	100	25	100

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** # patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
AIDS Cases Reported as of June 30, 2002
Bergen County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	42	41	98%
1985	54	50	93%
1986	69	63	91%
1987	97	91	94%
1988	96	91	95%
1989	114	109	96%
1990	118	103	87%
1991	136	119	88%
1992	143	116	81%
1993	209	132	63%
1994	193	103	53%
1995	160	77	48%
1996	123	36	29%
1997	106	35	33%
1998	55	14	25%
1999	77	16	21%
2000	80	12	15%
2001	48	6	13%
2002	10	0	0%
-----	-----	-----	-----
Total	1930	1214	63%

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2002

Bergen County Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	285	54	5	38	290	54
5-12	#	#	Black, Not Hispanic	#	#	#	#	146	27
13-19	7	1	Hispanic	#	#	#	#	76	14
20-29	124	23	Other/Unknown	24	5	0	0	24	4
30-39	220	41	-----	-----	---	-----	---	-----	---
40-49	129	24	Total	523	100	13	100	536	100
Over 49	43	8							
Unknown	0	0							
-----	-----	---							
Total	536	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	124	36	0	0	124	24
Injection drug user (IDU)	83	24	62	35	145	28
MSM/IDU	20	6	0	0	20	4
Heterosexual contact	26	8	62	35	88	17
Risk not reported/other***	92	27	54	30	146	28
-----	-----	---	-----	---	-----	---
Total	345	100	178	100	523	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	6	100	7	100	13	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	6	100	7	100	13	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control
HIV/AIDS Cases Reported as of June 30, 2002
Bergen County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	1346	55
AIDS-CD4 Only	#	#	#	#	584	24
HIV Only	523	22	13	34	536	22
-----	-----	---	-----	---	-----	---
Total	2428	100	38	100	2466	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	24	1	White, Not Hispanic	1493	61	18	47	1511	61
5-12	14	1	Black, Not Hispanic	592	24	12	32	604	24
13-19	22	1	Hispanic	297	12	7	18	304	12
20-29	468	19	Other/Unknown	46	2	#	3	47	2
30-39	1062	43	-----	-----	---	-----	---	-----	---
40-49	604	24	Total	2428	100	38	100	2466	100
Over 49	272	11							
Unknown	0	0							
-----	-----	---							
Total	2466	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	775	43	0	0	775	32
Injection drug user (IDU)	518	28	223	37	741	31
MSM/IDU	78	4	0	0	78	3
Heterosexual contact	111	6	233	38	344	14
Risk not reported/other***	336	18	154	25	490	20
-----	-----	---	-----	---	-----	---
Total	1818	100	610	100	2428	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	12	67	19	95	31	82
Risk not reported/other***	6	33	#	5	7	18
-----	-----	---	-----	---	-----	---
Total	18	100	20	100	38	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
HIV/AIDS Cases Reported as of June 30, 2002
Bergen County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	48	44	92%
1985	73	61	84%
1986	93	82	88%
1987	132	108	82%
1988	155	121	78%
1989	169	138	82%
1990	192	145	76%
1991	194	135	70%
1992	203	111	55%
1993	184	84	46%
1994	173	75	43%
1995	177	65	37%
1996	149	29	19%
1997	135	31	23%
1998	95	7	7%
1999	100	13	13%
2000	113	#	#%
2001	66	#	#%
2002	15	0	0%
-----	-----	-----	-----
Total	2466	1263	51%

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.